

Longt Geo A Reliable Power Solution Provider

Lithium Iron Phosphate (LiFePO4) Battery


LAR12150-LT150-R32

Features

- ♦ Using the technology of lithium iron phosphate cell, superior safety, thousands of cycles, 100%DOD, under normal conditions.
- ♦ Built-in automatic protection for over-charge, over discharge, over current and over temperature.
- ♦ Free of maintenance .
- ♦ Internal cell balancing.
- ♦ Lighter weight: About 40% ~50% of the weight of a comparable lead acid battery.
- ♦ Replacement for lead-acid battery.
- ♦ Wider temperature range: -20 C~60 C.
- ♦ Support for Series application expansion (up to 51.2V) or four in parallel.

Application

- ♦ Solar &Wind Power System
- ♦ Golf Cart
- 令Electric Vehicle , E-bike, E-rickshaw etc.
- ♦ Lighting



General Specications		
Electrical Characteristics	Nominal Voltage	12.8V
	Nominal Capacity	150Ah@0.2C
	Energy	1920Wh
	Cycle Life	2000 Cycles @ 30A Charging/Discharging ,Until 70% Capacity
	Self Discharge	≤3.5% per month at 25℃
Standard Charging	Max. Charging Voltage	14.0~14.4V
	Charging Mode	At 0C~45C temperature, charged to 14.4V at a constant current of 30A, and then, changed continuously with constant voltage of 14.4V until the current was not more than 3A
	Charging Current	30A
	Max.Charging Current	75A
Standard Discharging	Discharging Current	30A
	Max. Continuous Current	150A
	Discharging Cut-off Voltage	10.0V
Operating Condition	Charge Temperature	0C to 45C(32°F to 113°F) @60±25% Relative Humidity
	Discharge Temperature	-20C to 60C(-4°F to 140°F) @60±25% Relative Humidity
	Storage Temperature	0C to 45C(32°F to 113°F) @60±25% Relative Humidity
	Water Dust Resistance	IP65
Structure	Cell & Format	IFR32700 N60&4S24P
	Casing	Plastic
	Dimension(L*W*H*TH)	483×170×240 ±2mm
	Weight	Approx. 18kg±5%
	Terminal	M8


Dongguan LongTTech Company Ltd.

A Reliable Power Solution Provider


Lithium Iron Phosphate (LiFePO4) Battery

LAR12150-LT150-R32


Different Rate Discharge Curve @25C




Charge Characteristics of capacity-voltage@0.2C&0.5C, 25C




Different Temperature Discharge Curve @0.5C



Charge Characteristics of time-voltage@ 25C



Different DOD Discharge Cycle Life Curve @0.2C,25C



Open circuit voltage VS SOC%@25C

