



VIA Connect PLUS

Simultaneous Wired and Wireless
Presentation and Collaboration Solution

| HDMI | Ethernet - RJ-45



VIA Connect PLUS provides simultaneous wired and wireless presentation and collaboration for a variety of spaces with no need for any additional hardware. This cost-effective solution includes all the benefits of VIA Connect PRO together with an HDMI input. With most laptops or mobile devices, meeting participants can display or stream full uninterrupted HD video (up to 1080p60), images and documents, or share any size file. The whiteboard feature lets you annotate, sketch out ideas or edit shared documents on the main display from your device. VIA Connect PLUS features iOS mirroring via AirPlay™, Windows & Android mirroring via Miracast™, as well as ChromeBook mirroring. You can show up to four user screens on a single main display. The VIA Versa feature allows users to wirelessly connect to the professional grade camera and AV in their meeting spaces easily and instantly

FEATURES

HDMI Wired Input - Enables hard-wiring your computer or other HDMI compatible device such as a camera, multimedia player or computer. Note: Does not support HDCP signals

60fps Streaming Multimedia - Share HD wireless video streaming (using the VIA app Multimedia feature)

Wireless Connection for up to 254 Devices - Utilizing Compatible External Wireless Network
iOS and Android Mirroring

Optimized for Video Conferencing - VIA Versa feature allows users to wirelessly connect to the professional grade camera and AV in their meeting spaces easily and instantly

Seamless Live Video Streaming - Stream live content from meeting rooms, classrooms and studios using RTMP/RTMPS to all the leading platforms, like YouTube™, Kaltura™, Panopto™ and more

Wireless Device Connectivity - No dongle needed

DHCP Support

Graphic Output Formats - Outputs to either an HDMI or Mini DisplayPort display. Note: Does not support graphic output to both the HDMI and Mini Display Port simultaneously

Cloud-Based File Sharing - Drag and drop files to the internal VIA cloud storage (32GB)

Whiteboard Support

Control - Give a participant control over a presenter's PC for true collaboration

Chat - Send an instant message to another user

Digital Signage - Enables you to display dynamic content and information on the main display when there is no meeting in progress. Use a predefined template or create your own display configuration with up to three frames of content that appear simultaneously. Schedule campaigns (content configurations) to run automatically at specific dates and times.

NOTE: All VIA devices purchased after June 1, 2019 include the Digital Signage feature. If your device was purchased before that date, the feature can be purchased separately, see the ACCESSORIES & RELATED PRODUCTS tab

iCloud, OneDrive, Google Drive and Dropbox Integration

Seamless Integration with VIA Site Management (VSM) Software & the VIA Pad

Multilingual Support - Experience VIA in your language

Warranty - 3-years on hardware



TECHNICAL SPECIFICATIONS

Ports	4 USB: On USB 3.0 Type A connector 1 LAN: On an RJ-45 connector
Inputs	Inputs: 1 HDMI: On a female HDMI connector
Outputs	1 HDMI: On a female HDMI connector 1 DisplayPort: On a mini DisplayPort connector Note: Does not support graphic output to both the HDMI and mini DisplayPort simultaneously 1 Headphones/Speakers: On a 3.5mm mini jack
Video	Max. Resolution for the HDMI Input: 1080p@60Hz Web Conferencing Cameras Tested with VIA Versa Feature: Logitech MeetUp, Logitech C270, Logitech BCC950, Logitech C525, Logitech Brio UHD PRO, Logitech C310, Logitech C922, Logitech Rally, Avaya HC020, Avaya HC050, Huddly GO, Yamaha CS700, Minrray MG100A, Microsoft Livecam HD-3000, TedGem 1080p, Vaddio HuddleSHOT, Yealink UVC80, Bose Videobar VB1, BIAMP Devio SCR-20, BIAMP Devio SCR-25, LUMENS B10U, LUMENS B11U, LUMENS B2U, MAXHUB – UCS10, Yealink UVC30ROOM, Aver CAM340+, Avonic AV-CM44-VCUC-B PTZ, Konftel C50 PTZ Video Conferencing Apps Tested with VIA Versa Feature: Teams and Zoom All brand names, product names, and trademarks are the property of their respective owners
Audio	Output Analog or embedded HDMI, S/PDIF Realtek ALC269 Web Conferencing Audio Devices Tested with VIA Versa Feature: Aver VB432 Speaker (Microphone), Yamaha YVC-330 (Speaker, Microphone, Bluetooth phone gateway), Yamaha YVC-1000 (Speaker, Microphone, Bluetooth phone gateway), Nureva HDL300 (Speaker)
General	Processor 4th generation Intel® Dual core 1.4GHz Main Memory 4GB, high speed Storage 32GB, solid-state drive LAN: Gigabit LAN
Power	Supply 65W power adapter (19V, 3.4A) Input Voltage 100V~220V AC, 50/60Hz, auto sensing
Accessories	Included Power cord, Kramer HDMI Male to Female cable extender, VESA mounting bracket
Product Dimensions	11.80cm x 11.50cm x 4.00cm (4.65" x 4.53" x 1.57") W, D, H
Product Weight	0.5kg (1.1lbs) approx
Shipping Dimensions	23.20cm x 13.60cm x 10.00cm (9.13" x 5.35" x 3.94") W, D, H
Shipping Weight	1.0kg (2.2lbs) approx



